


Continuous plug-in bridge - FBST 500-PLC BU



2966692

<https://www.phoenixcontact.com/pc/products/2966692>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Continuous plug-in bridge, color: blue

Continuous plug-in bridge - FBST 500-PLC BU



2966692

<https://www.phoenixcontact.com/pc/products/2966692>

Commercial Data

Item number	2966692
Packing unit	20 pc
Minimum order quantity	1 pc
Product Key	CK6243
Catalog Page	Page 426 (C-5-2019)
GTIN	4017918130534
Weight per Piece (including packing)	44.95 g
Weight per Piece (excluding packing)	42.778 g
Customs tariff number	85366990
Country of origin	DE

Continuous plug-in bridge - FBST 500-PLC BU



2966692

<https://www.phoenixcontact.com/pc/products/2966692>

Technical Data

Product properties

Product type	Bridge
--------------	--------

Electrical properties

Maximum load current	32 A
----------------------	------

Connection data

Maximum load current	32 A
----------------------	------

Dimensions

Length	500 mm
--------	--------

Material specifications

Color	blue
-------	------

Continuous plug-in bridge - FBST 500-PLC BU



2966692

<https://www.phoenixcontact.com/pc/products/2966692>

Approvals



PR

Approval ID: TE/2109/880590/16



GL

Approval ID: 46016-03 HH

	Nominal Voltage U_N	Nominal Current I_N	Cross Section AWG	Cross Section mm^2
			-	-

Continuous plug-in bridge - FBST 500-PLC BU



2966692

<https://www.phoenixcontact.com/pc/products/2966692>

Classifications

ECLASS

ECLASS-10.0.1	27141140
ECLASS-9.0	27141140
ECLASS-11.0	27141140

ETIM

ETIM 8.0	EC000489
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

Continuous plug-in bridge - FBST 500-PLC BU



2966692

<https://www.phoenixcontact.com/pc/products/2966692>

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values
------------	---

Phoenix Contact 2022 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com