

UM-TM (6X10) - Marker for terminal blocks



0830908

<https://www.phoenixcontact.com/in/products/0830908>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

Marker for terminal blocks, Strip, white, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, for terminal block width: 6.2 mm, lettering field size: 6 x 10 mm, Number of individual labels: 20



Your advantages

- The markers, which are supplied in uniform strips, can be printed onto quickly and easily using the BLUEMARK printing systems
- The UM-TM ... UM labeling range includes terminal markers for Phoenix Contact terminal blocks with tall marker groove
- The multi-section marking strips are easy to fit and can be easily separated if required
- The markers support multi-line labeling

Commercial Data

Item number	0830908
Packing unit	10 pc
Minimum order quantity	10 pc
Sales Key	BG2
Product Key	BG211M
GTIN	4046356910415
Weight per Piece (including packing)	2.437 g
Weight per Piece (excluding packing)	2.39 g
Customs tariff number	39269097
Country of origin	PL

UM-TM (6X10) - Marker for terminal blocks



0830908

<https://www.phoenixcontact.com/in/products/0830908>

Technical Data

Product properties

Product type	Terminal marking
Pitch	6.2 mm
Type	high
Area of application	Phoenix Contact

Marking

Number of individual labels	20
Number of individual labels per row	10
Number of marker strips	2

Marking technology

Device	5146464 THERMOMARK CARD
Ink ribbon	0801371 THERMOMARK-RIBBON 110-TC
Printability	Thermal transfer

Dimensions

Width	6 mm
Length	10 mm
Pitch	6.2 mm

Material specifications

RoHS compliant	yes
Color	white
Material	PC
Flammability rating according to UL 94	V2
Components	free from silicone, halogen, and cadmium

Environmental and real-life conditions

Test for substances that would hinder coating with paint or varnish

Result	Test passed
--------	-------------

UV resistance

Specification	ISO 4892-2:2013-03 (following)
Result	Test passed
Test duration	96 h

Wipe resistance of inscriptions

Specification	IEC 61010-1:2010-06
	DIN EN 62208 (VDE 0660-511):2012-06 (in parts)

Testing in a condensation changing climate in the presence of sulfur dioxide

Specification	DIN 50018:2013-05
---------------	-------------------

UM-TM (6X10) - Marker for terminal blocks



0830908

<https://www.phoenixcontact.com/in/products/0830908>

Result	Test passed
Climate level	AHT 1.0 S
Cycles	2

Salt spray test

Specification	DIN EN 60068-2-11:2000-02
Result	Test passed

Ambient conditions

Ambient temperature (operation)	-40 °C ... 120 °C
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 %

Standards and regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
-----------------	-----------------------------

Mounting

Mounting type	snapped
---------------	---------

UM-TM (6X10) - Marker for terminal blocks



0830908

<https://www.phoenixcontact.com/in/products/0830908>

Classifications

ECLASS

ECLASS-11.0	27281101
ECLASS-12.0	27281101
ECLASS-13.0	27281101

ETIM

ETIM 8.0	EC000761
----------	----------

UNSPSC

UNSPSC 21.0	39131500
-------------	----------

UM-TM (6X10) - Marker for terminal blocks

0830908

<https://www.phoenixcontact.com/in/products/0830908>



Accessories

BM ID-CARTR. BK - Ink cartridge

1044345

<https://www.phoenixcontact.com/in/products/1044345>



Replacement UV fluid, 23 ml, color: black

BM ID-CARTR. YE - Ink cartridge

1044348

<https://www.phoenixcontact.com/in/products/1044348>



Replacement UV fluid, 23 ml, color: yellow

UM-TM (6X10) - Marker for terminal blocks

0830908

<https://www.phoenixcontact.com/in/products/0830908>



BM ID-CARTR. CY - Ink cartridge

1044346

<https://www.phoenixcontact.com/in/products/1044346>



Replacement UV fluid, 23 ml, color: cyan

BM ID-CARTR. MA - Ink cartridge

1044347

<https://www.phoenixcontact.com/in/products/1044347>



Replacement UV fluid, 23 ml, color: magenta

UM-TM (6X10) - Marker for terminal blocks

0830908

<https://www.phoenixcontact.com/in/products/0830908>



BM ID-CLEANING CARTR. - Cleaning cartridge

1044350

<https://www.phoenixcontact.com/in/products/1044350>



Replacement cleaning cartridge

BLUEMARK CLED-FLUID-CARTR. - Ink cartridge

5146662

<https://www.phoenixcontact.com/in/products/5146662>



Cartridge, for replacement, 20 ml UV color, black, including cleaning cartridge

UM-TM (6X10) - Marker for terminal blocks

0830908

<https://www.phoenixcontact.com/in/products/0830908>



BLUEMARK FLUID-CARTRIDGE - Ink cartridge

5147421

<https://www.phoenixcontact.com/in/products/5147421>

Cartridge, for replacement, 28 ml UV color, black including cleaning cartridge



THERMOMARK-RIBBON 110-TC - Ink ribbon

0801371

<https://www.phoenixcontact.com/in/products/0801371>

Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., length: 300 m, roll length: 300 m, width: 110 mm, color: black



UM-TM (6X10) - Marker for terminal blocks

0830908

<https://www.phoenixcontact.com/in/products/0830908>



TMP-RIBBON 110 BK 100 - Ink ribbon cartridge

0803374

<https://www.phoenixcontact.com/in/products/0803374>

Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups UCT. ..., US..., and UM..., roll length: 70 m, width: 110 mm, color: black



TMP-UM-MAG1 - Magazine

0831200

<https://www.phoenixcontact.com/in/products/0831200>

Magazine for THERMOMARK CARD and THERMOMARK PRIME, to hold UM material (UM1-TM and UM5-TM)



UM-TM (6X10) - Marker for terminal blocks

0830908

<https://www.phoenixcontact.com/in/products/0830908>



BLUEMARK MAG UM-TM - Magazine

0803335

<https://www.phoenixcontact.com/in/products/0803335>

Magazine for the BLUEMARK printer, for accommodating UM materials



Phoenix Contact 2023 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT (I) Pvt. Ltd.

A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420

info@phoenixcontact.co.in